SURVEY FORM

ATHLETICS EVENTS HELD ON TEMPORARY FACILITIES

This form must be sent to: carlo.de-angeli@worldathletics.org
together with the Application and Event Site Measurement Form

General

This is generally completed by the company conducting the survey. The following key items must be provided:

- Identification of the surveyor;
- Identification of the facility and event sites surveyed, including a plan showing Field Event layouts;
- Facility measurements on diagram provided – to note that:
  - distances longer than 20m are to be measured by electro optical instruments;
  - angles are to be measured by theodolite.
- Details on the measurement instrument used including:
  - manufacturer and model;
  - serial number;
  - current (no older than 12 months) Certificate of Instrument Accuracy (mentioning the instrument serial number) that can be traced back to national and international standards of measurement (issued by an authorised service centre or laboratory).
- When a competition is held over more than one day, the survey should be made on the day of the first event. In either case, if the surveyor can be satisfied that there will be no movement or alteration to the facilities being surveyed, the survey may be completed up to two days prior to the day of the first event.
- It is not for the surveyor or others to determine whether dispensations might be provided for any non-conformity with the Rules or the stipulations of the Track and Field Facilities Manual. These are matters for World Athletics alone to determine.
- All the information required in this form must be determined by the surveyor and he should not rely on any other measurement work that may have been done by others.

NAME OF FACILITY:			
City	Wesel	Country	Germany
Address	Großer Markt		
Event Site(s) surveyed	www.domspringen-wesel.de		

SURVEYOR COMPANY	**Vermessungsbüro Behr**	Date of survey	
Surveyor name	Caroline Stockhausen	Email	behr@vermessung-behr.de
Address	Flesgentor 22, 46483 Wesel	Telephone	+49 281 / 164 54 16
Weather conditions	rainy	Temperature	20°C
Instruments:			
Theodolite	Trimble S7	No.	37330280
Distance meter		No.	

Surveyor's Conclusions


The competition area was checked regarding layout, inclination and dimensional accuracy.

☒ I hereby certify that all measurements and information shown in this report are accurate and are the result of a well-conducted survey.

Considering the attached measurements made during the inspection of the facility, I recommend that the facility be accepted to be in compliance with World Athletics requirements.

☒ YES ☐ NO

If the answer is NO please state below the reason(s) why the facility does not comply under World Athletics Rules.



Surveyor:	Caroline Stockhausen	
Date 31.08.26 tap to enter a date.	Signature (scanned accepted)	



Öffentlich bestellter Vermessungsingenieur
Hans R. Behr
Dipl. - Ing.
Flesgentor 22. 46483 Wesel
Tel.: 0281-1 64 54 16

EVENT SITE MEASUREMENT

POLE VAULT

Rule Requirement		
Runway	Length	46,36 m
	Width	1,33 m
	It is marked by white lines 0.05m in width	☒ YES ☐ NO
	There are marks beside the runway at each 0.5m between points 2.5m to 5m from the "0" line and at each 1m from 5m to 18m	☒ YES ☐ NO
Inclination	The maximum lateral inclination of the runway is less than 1:100	☒ YES ☐ NO
	In the last 40m of the runway, the overall downward inclination in the running direction is less than 1:1000	☒ YES ☐ NO
Pole Vault box	Size, material and construction are in accordance with the rule	☒ YES ☐ NO
Zero line	A white line, 0.01m wide, is drawn at right angles to the axis of the runway, in line with the top back end of the box	☒ YES ☐ NO
Notes		

Runway Surface	
See list : https://www.worldathletics.org/about-iaaf/documents/technical-information	
Product name SPORTFLEX SUPER X 720 K 39	
Product manufacturer MONDO	
Absolute thickness 13mm	
World Athletics Product Certificate number s99-0006	

Event Site – Spot Levels

- Use the diagram to provide runway levels at the box and at 40m from each Pole Vault box.
- It is essential that reduced levels (not grades) be provided on each of the runways.
- The sign convention used by World Athletics for inclinations is that an upward inclination in the direction of running is positive.

Öffentlich bestellter Vermessungsingenieur
Hans R. Behr
Dipl.-Ing.
Flesgentor 22, 46483 Wesel
Tel 0281-964 54 16

INGENIEURKAMMER-BAU NORDRHEIN-WESTFALEN
PFLICHT-MITGLIED 720749

Spot Levels – Pole Vault

Provide runway levels at the box (0.000m) and at 40m from each Pole Vault box.

